


VEZOS

"Inventing Ways"

Handysand Auto² ARS

Advanced Sanding Technology



"4 meters plus working height"

One Tool, Countless & Amazing Solutions



The Handysand Auto II has been designed by the VEZOS team exclusively for the end-users ease, no reason to purchase several tools, no reason to carry around a long sander, this tool, provides the user with several possible options.

The length of the Handysand Auto II begins at 97 cm and can reach up to 3.37 cm extending your working height over 4 meters, without needing to use any scaffolding.

The Handysand Auto II, connects to any branded vacuum cleaner, allowing the Gripping Effect and the ARS system to drive your tool and automatically adjust the suction pressure needed for each surface.

Handysand Auto² ARS

Advanced Sanding Technology



The first Handysand Auto 150, presented in 2006, made VEZOS proud by winning international awards and the respect of its users. This well worthy equipment, gained a position in the spot light and has deserved to be modernized and updated, to the needs of today's industry.

Therefore VEZOS presents to you the Handysand II, a wall sander that combines the Auto Regulated Suction (**ARS**) technology, the know how of wall sanding & the impeccable quality & design necessary to the international market today.

The Handysand II Automatic Regulated Suction (**ARS**) success may be driven by the desire to gain a competitive edge over your competitors, a fast and ergonomically sanding procedure and a profitable outcome, whatever the reason, the inspiration provided by the Vezos Team and its products, have lead you here, to once again, to benefit and contribute to your business with a highly professional wall sander.

Quality is a MUST

INNOVATION is a necessity to VEZOS

Analysing the term « Auto »

Why Auto? What does this mean? How does it change the sander? These are questions that you may have concerning our Handysand Auto terminology, we are here to set things clear.

«Auto» clarifies the automatic action of regulating the gripping pressure of the Handysand to the working surface (ceiling/wall) therefore the sander automatically regulates the suction force.

So regardless of your vacuum (old-new technology, one-two motors, blocked, clean or dirty, vacuum hose size 32 or 38mm) regardless of the sanding disk grids, regardless of the type of surface, the Handysand II, automatic regulator suction adjusts itself, allowing you to sand and not bother with turning and adjusting buttons and levers.

It has a mind of its own...



Look out for the ARS logo, when purchasing your next sander!

Combo *line*


Introducing the Combo Line

VEZOS presents to you its new wall sander line, fully detachable wall sanders, covering your needs in all work areas. Combine the Handysand II, with the Combo Line extensions in order to expand your tool.

Add the Combo Line Handles & Grips, for better control over your tool.

Keep on track with the Combo Line accessories upcoming www.vezos.gr

With the Combo line, retractable extension, you will gain that extra boost in length, with a simple move. No need to use a different size of sander to reach that high spot. The Handysand II, will offer you all the size options that you could possibly need, to get the job done, without extra effort or cost.



Texture
Drywall
Paint
Cement

The Combo line retractable extension is included in the Handysand II Full Edition as standard accessory.

Note: For the Basic Handysand II, the retractable extension is an optional accessory.



Retractable Extension

When working in narrow spaces, with the mini version of your Handysand II, use the Retractable extension, to reach high sanding areas.

A hidden away extension, for making your life a little bit easier. While on the job, you may need an extra hand in order to reach that high area, simply unscrew the connector, pull out the extension and tighten it secure. No need to adapt any extra piece. When you are finished, simply unsecure and push it back in to place.

Purchase P/N 23.1003201

Extend your Handysand II, with the Combo line Retractable extension, for an extra 45cm length, with a simple pull.

Combo Line Unit

Vacuum Hose Connector
32&38mm

4 in 1 Tool XL Edition

Add the Combo line
Retractable extension 45cm,
for extra height

Powerful 750 watt motor
5m Power Cord
Variable Speed control

ARS System

Main Extension 65cm
Extension 65cm
Combo line foam Grip-on
Combo line Grip handle
4 Side Lock System

Lock On System


Flexible Suction Hose
X3 HD Outer Casing
Combo line Head Connector

Triple Layer Outer Casing

Suction Force Regu-
Wall / Ceiling
All around head turn
Large hole sanding disk



Making things easier, by instantly changing the angel of your tool.
Lock & Unlock in seconds the Combo line Connector, choosing the angle that is necessary for the sanding procedure you are working on & carry on sanding with no effort



4 Head Position - 1 Tool

VEZOS presents the « 4 lock on system» and once again provides the sanding industry with an innovative idea. Included on all versions of the Handysand Auto II, this easy to manipulate sideways or upright system, helps the user to sand without needing to twirl his body, in order to sand in a correct manor.

Making your life easier with

Handysand Auto²
Advanced Sanding Technology

Check this out on our video www.vezos.gr / Handysand II



The new Handysand Auto II, has a very simple set up procedure, allowing the end user to carry his tool around with out worrying about the length of the tool. Due to the fact that the Handysand Auto II, can be broken down into several pieces, each piece not extending 70cm length, it can be carried in a simple and compact case.

The Handysand Auto II, has two basic pieces a. Motor end b. Head Attachment, you can connect the two and sand with the mini version, or you can start adding your main extension and reach the sanding point with ease.



The Handysand Auto II, has a fully adjustable rotating head allowing the tool to perfectly sand all possible tasks. VEZOS design team has also provided the end user with an extra and brand new technique, the 4 lock system will allow the head or even motor end to adjust the position of each piece of the tool where the user needs it to be. What does this mean? Well, if you are sanding a ceiling you may want the head disc to face upright, if you are sanding a side wall you probably prefer a left or right turn to the head disc, this way you don't need to know acrobatics in order to sand the surface.





Your Handysand II, can be broken down in to pieces, either for easy transportation or for safe keeping. The Combo line connectors, allow you to assembly your sander as you wish. Enabling you to change the size of your Handysand II, starting from 97cm and reaching up to 3.37 cm. Achieving an amazing plus +++ 4 meters working height!

Easily place the male to female connector and secure by simply tightening the nut.

Combo
line

Making things easier, fast set up & connection



Fast set up, how fast? We timed ourselves in order to prove that actions are stronger than words.

Set up your Handysand Auto II Mini version in just

10 sec

Set up your Handysand Auto II Basic Edition in just

20 sec

Set up your Handysand Auto II XL Edition in just

30 sec



VEZOS

"Inventing Ways"



The Handysand Auto 2, carry's on the legacy of its previous model and the innovative gripping system you experienced first with the VEZOS wall sanders.

The Auto Regulating Suction (**ARS**) system allows the end-user to drive the tool without needing to lift the weight of the wall sander when reaching those high ceilings. By driving the tool, to the wanted direction, you may achieve the desirable result with the least effort.

The **ARS** system, though its specially designed valve, automatically regulates the suction force needed for each surface. Therefore you can concentrate on the actual sanding surface instead of buttons and knobs to distract you. Due to this system, you don't need any extra accessory to carry & support your tool, no scaffolding needed due to the **ARS & Combo Line Connectors**.

Sand away, get the job done and enjoy the results.


VEZOS

Professional tools, not games


Build up your tool range with simply adding extensions !!

One tool with 8 different height levels ...


4 meters plus working height



Options, options and a few more options..



Attach your Grip-on Handle, for a better grip while sanding





Tested & Approved by You



Triple Layer Outer Casing

Lock On System

ARS System

4 in 1 Tool XL Edition

Combo Line Unit

Technical Characteristics


Model	Handysand Auto 2 XL
Part Number	23.5011101
Sanding Diameter	Ø225mm
ARS	✓
Pated Power	750 watt
Sanding Disc	Ø225 mm
Combo Line	✓
Weight no extension	4.2 Kg
Weight 2 extension	5.7 Kg
Voltage	220 Volts / 110 Volts
Speed	550—1350 r.p.m.
Drive Cable	8mm
Overall Length XL	2.72cm
Power Cable	5m

Handysand Auto 2 XL Edition

- Includes:**
2 Main Extension 65cm x 2 = 1.30cm
1 Retractable Extension 45cm
HD Disc Shield Ø 225mm
1 Grip On Handle
2 Grip soft touch
4m Vacuum Hose
1 Vacuum connector 32mm
1 Vacuum connector 38mm
1 Pressure Releaser



Tested & Approved by You



Triple Layer Outer Casing

Lock On System

ARS System

Technical Characteristics

Model	Handysand Auto 2 Basic
Part Number	23.5011200
Sanding Diameter	Ø225mm
ARS	✓
Pated Power	750 watt
Sanding Disc	Ø225 mm
Combo Line	✓
Weight no extension	4.1 Kg
Weight 1 extension	4.9 Kg
Voltage	220 Volts / 110 Volts
Speed	550—1350 r.p.m.
Drive Cable	8mm
Overall Length	1.62cm
Power Cable	5m

Handysand Auto 2 Basic Edition

- Includes:**
- 1 Main Extension 65cm
 - Disc Shield Ø225mm
 - 2 Grip soft touch
 - 1 Vacuum connector 32mm

Optional


- Retractable Extension 45cm
- Main Extension 65cm
- Grip On Handle
- Vacuum connector 38mm
- Pressure Releaser
- Vacuum Hose
- Vacuum connector 38mm
- HD Disc Shield Ø 225mm

Basic Edition

Combo Line Unit



Large hole for air release



VEZOS

Spares & Consumables

"Pack of 10"

Purchase P/N	Grit Size	Description
35.1002088.P	P40	Ø225 Pack 10
35.1002150.P	P60	Ø225 Pack 10
35.1002209.P	P80	Ø225 Pack 10
35.1002151.P	P100	Ø225 Pack 10
35.1002090.P	P120	Ø225 Pack 10
35.1002199.P	P150	Ø225 Pack 10
35.1002152.P	P180	Ø225 Pack 10
35.1002206.P	P220	Ø225 Pack 10

Choose the correct sanding disc for your application. Get it right and admire the smooth result with your Handysand Auto II wall sander.


Grit Size Selection			
Rough	Medium	Fine	Extra Fine
P40	P60	P100	P150
	P80	P120	P180
			P220



Grip Soft Touch Set
Purchase P/N 51.1003202



Pressure release Valve
Purchase P/N 23.1002709



Abrasive Pad
Purchase P/N 23.1002659



Grip On Handle
Purchase P/N 23.1001892



Vacuum Hose 4 meter
Purchase P/N 23.1008175



Main Extension 65cm
Purchase P/N 23.1003206



Disc Shield XD
Purchase P/N 23.1002712



Disc Shield Basic
Purchase P/N 23.1002135



Disc Brush
Purchase P/N 43.100 2327



Retractable Extension 45cm
Purchase P/N 23.1003201




Vacuum Connector 32mm
Purchase P/N 23.1001888



Vacuum Connector 38mm
Purchase P/N 23.1003195




Check out our
new video
www.vezos.gr
& on YouTube



VEZOS
"Inventing Ways"

Vacuum Connectors — Combo line part



The Handysand Auto 2 connects to any branded vacuum cleaner, allowing you to use your already existing vacuum. No need to spend more than you need to. For this reason the VEZOS design team, created the vacuum connectors in two different sizes, 32mm & 38mm, allowing you to connect your vacuum hose and sand your surface gaining the best possible result without extra cost.

We suggest for best results, specially on high ceiling to use our 38mm vacuum hose with our 38mm connector.



Making your life easier with

Handysand Auto²
Advanced Sanding Technology

Soft Touch Grips — Combo line part



Soft touch grips cover basic parts of the Handysand Auto 2, allowing the end user to grip on to the sander at exactly the right spot.

The Soft touch grips can be also purchased separately as a consumable set.

Combo *line*

Grip On Handle — Combo line part

The Grip On Handle, can be positioned to any point of the HandySand Auto 2, allowing you to get that extra grip on the tool. You may adapt this handle to all Combo Line Extension.

This handle is included in the Handysand Auto II XL Edition, and also available as an accessory to other available versions.



VEZOS

"Inventing Ways"



Handysand Auto

Advanced Sanding Technology

The logo for ARS (Advanced Sanding Technology) features a large, stylized number '2' with the letters 'ARS' inside a small square box at its base.

www.vezos.gr

Dimokratias Avenue 73 - Perama - 18863 - Greece

Tel: +302104411720 / +302104020112

info@vezos.gr / sales@vezos.gr

